

AMENDMENTS TO THE CLAIMS

1. (currently amended) A polypropylene resin composition which comprises:
 - a) 40 to 80% by weight of a polypropylene component (A) comprising a copolymer of propylene with ethylene and/or a C₄₋₁₂ α -olefin wherein the amount of units derived from ethylene and/or a C₄₋₁₂ α -olefin is at most 5% by weight ~~or less~~, or a homopolymer of propylene, and
 - b) 20 to 60% by weight of a copolymer component (B) containing a copolymer (B-1) and a copolymer (B-2),
wherein both the copolymer (B-1) and copolymer (B-2) are copolymers of propylene with ethylene and/or a C₄₋₁₂ α -olefin, in the copolymer (B-1), the amount of units derived from propylene is from more than 50% by weight to 85% by weight, and the copolymer (B-2) is a propylene copolymer where the amount of units derived from propylene is 15 to 50% by weight, the molecular weight distribution (Mw/Mn) by gel permeation chromatography is 3.0 or less, and blockness (CSD) determined using the measured NMR values is 1.3 or less;
in which composition the amount of (B-2) with respect to the whole polypropylene resin composition is at least 3% by weight ~~or more~~, and ~~the~~ ratio of ~~the~~ limiting viscosity of the copolymer (B-1) to ~~the~~ viscosity of the polypropylene component (A), $([\eta]B-1/[\eta]A)$, is at most 1.5 ~~or less~~, and ~~the~~ ratio of ~~the~~ limiting viscosity of the copolymer (B-1) to the viscosity of copolymer (B-2), $([\eta]B-1/[\eta]B-2)$, is at least 0.8 ~~or more~~.
2. (currently amended) The polypropylene resin composition according to claim 1, wherein ~~the~~ weight ratio of the copolymer (B-1) to the copolymer (B-2), $[(B-1)/(B-2)]$, is 1.2 to 6.0.
3. (currently amended) The polypropylene resin composition according to ~~claims 1 and 2~~claim 1, wherein the copolymer (B-2) is a copolymer where there is a heterologous bond, and the ~~unit~~amount of units derived from propylene is 15 to 35% by weight.
4. (currently amended) The polypropylene resin composition according to ~~any of claims 1 to 3~~claim 1, wherein ~~the~~ stereoregularity of the polypropylene component (A) is at least 96% ~~or more~~.

5. (currently amended) A polypropylene resin molding which is prepared by molding ~~thea~~ polypropylene resin composition ~~aeecording to any of claims 1 to 4,~~ comprising:

a) 40 to 80% by weight of a polypropylene component (A) comprising a copolymer of propylene with ethylene and/or a C₄₋₁₂ α -olefin wherein the amount of units derived from ethylene and/or a C₄₋₁₂ α -olefin is at most 5% by weight, or a homopolymer of propylene, and

b) 20 to 60% by weight of a copolymer component (B) containing a copolymer (B-1) and a copolymer (B-2),

wherein both the copolymer (B-1) and copolymer (B-2) are copolymers of propylene with ethylene and/or a C₄₋₁₂ α -olefin, in the copolymer (B-1), the amount of units derived from propylene is from more than 50% by weight to 85% by weight, and the copolymer (B-2) is a propylene copolymer where the amount of units derived from propylene is 15 to 50% by weight, the molecular weight distribution (Mw/Mn) by gel permeation chromatography is 3.0 or less, and blockness (CSD) determined using the measured NMR values is 1.3 or less;

in which composition the amount of (B-2) with respect to the whole polypropylene resin composition is at least 3% by weight, and a ratio of a limiting viscosity of the copolymer (B-1) to a viscosity of the polypropylene component (A), ($[\eta]_{B-1}/[\eta]_A$), is at most 1.5, and a ratio of a limiting viscosity of the copolymer (B-1) to the viscosity of copolymer (B-2), ($[\eta]_{B-1}/[\eta]_{B-2}$), is at least 0.8.

wherein the copolymer component (B) is dispersed either in layers or as needles in the polypropylene component (A), and ~~thean~~ average length (aL) of the dispersed layer is 1.5 μ m or longer.

6. (original) The polypropylene resin molding according to claim 6, wherein the molding is a film.